



seventies 70's | Fokussiereinheiten

ZUBEHÖR

Lichtwerkzeuge für die 70's Strahlerfamilie
* Abstrahlwinkel stufenlos und schnell einstellen



Foto: Leon Kopplow (Abb. exemplarisch) se-11-d1 / se-fe-01-s

Design: Daniel Frey / Engineering: mawa

Matchcode Versionen	Abstrahlwinkel in Grad Minimum-Maximum	geeignet für LES in mm	kompatible Produktvarianten
se-fe-01-s se-fe-01-w	11°-48°	10	Stromschienenstrahler (-d1) se-11 Aufbaustrahler (-d1) se-21 Einbaustrahler (-d1) se-31 Einbaurichtstrahler (-d1) se-41
se-fe-02-s se-fe-02-w	15°-50°	14,5	Stromschienenstrahler (-d2) se-11 Aufbaustrahler (-d2) se-21 / se-23 Einbaustrahler (-d2) se-33 Pendelleuchte (-d2) se-22 / se-32
(stufenlos einstellbar)			


Matchcode-Kürzel: -fe Fokussiereinheit / -s schwarz / -w weiß



seventies 70's | Fokussiereinheiten

ZUBEHÖR

Dimensionen se-fe-01 + se-fe-02:



Fokussiereinheit

- oxidkeramische Beschichtung schwarz matt
- oxidkeramische Beschichtung weiß matt (auf Anfrage)

Federring für Zubehör (Ø68)

- schwarz eloxiert

Gehäuse:

Alu oxidkeramisch beschichtet inkl. Federring schwarz, asphärische Glaslinse

Hinweis: Die seventies 70's Fokussiereinheit wird oxidkeramisch beschichtet. Bei dieser Hightech-Veredelung handelt es sich um ein elektrolytisches Spezialverfahren, das auch für Bauteile in der Luft- und Raumfahrt zur Anwendung kommt.

In schwarzer Ausführung führt das zu einem besonders hohen Lichtabsorptionsgrad sowie einem geringen Glanzgrad und eignet sich daher hervorragend zur Reduktion von Streulicht und Reflexen.

Kompatibles Zubehör: (Ø68) für se-fe-01/-02: Blendschutzklappe 4-fach, Skulpturenlinse, LSD Aufweitungsversatz (30°/60°), Feinprismatische Linse, Wabenraster schwarz (siehe Zubehörübersicht unter mawa-design.de)

Gewicht:

500 g

LVK auf mawa-design.de unter Leuchten





seventies 70's | Focusing units

ACCESSORY

Accessories for the 70's spotlight family
* continuously and quickly adjust beam angles



Photo: Leon Kopplow (Illustration exemplary) se-11-d1 / se-fe-01-s

Design: Daniel Frey / Engineering: mawa

Matchcode Product versions	Beam radiation angle in degrees Minimum-Maximum	suitable for LES in mm	compatible product variants
se-fe-01-s se-fe-01-w	11°-48°	10	Track spotlight (-d1) se-11 Surface-mounted spotlight (-d1) se-21 Recessed spotlight (-d1) se-31 Recessed directional spotlight (-d1) se-41
se-fe-02-s se-fe-02-w	15°-50°	14,5	Track spotlight (-d2) se-11 Surface-mounted spotlight (-d2) se-21 / se-23 Recessed spotlight (-d2) se-33 Pendant luminaire (-d2) se-22 / se-32
(freely adjustable)			


Match code shorts: -fe focussing unit / -s black / -w white



seventies 70's | Focusing units

ACCESSORY

Dimensions **se-fe-01 + se-fe-02**:



Focussing accessory

- ☒ oxide ceramic matt black finish
- ☐ oxide ceramic matt white finish (available on request)

Retainer ring for accessory (Ø68)

- ☒ schwarz eloxiert

Housing: aluminium with oxide ceramic matt finish incl. anodized retainer ring, aspheric glass lens

Please note: The seventies 70's focusing unit is coated with oxide ceramic. This high-tech finishing involves an electrolytic special process, which is also used for components in aerospace. In black, this results in a particularly high degree of light absorption and low gloss, making it ideal for reducing stray light and reflections.

Accessories: (Ø68) for **se-fe-01/-02**: 4 anti-glare flaps, Sculpture lens, LSD attachment (30°/60°), fine prismatic lens, black honeycomb grid (please see accessory overview under mawa-design.de)

Weight: 500 g

LDC on mawa-design.de under Lighting

